



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/030,290	03/06/2002	Anuschirwan Peyman	146.1378	8955

7590 04/09/2003

Bierman, Muserlian and Lucas
600 Third Avenue
New York, NY 10016

EXAMINER

BERCH, MARK L

ART UNIT

PAPER NUMBER

1624

DATE MAILED: 04/09/2003

10

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/030,290	PEYMAN ET AL.	
	Examiner	Art Unit	
	Mark L. Berch	1624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on _____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7 and 11-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7 and 11-13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
 If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ | 6) <input type="checkbox"/> Other: |

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-7, 11-13 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

- ✓ 1. Many of the aryl choices given in the e.g. B definition have range starting at C₅. This is not possible. The smallest aryl ring is C₆.
2. The "ring system" at the end of the B definition is unclear. What is the nature of the ring --- e.g. how large can the ring be? Can the ring be heterocyclic?
3. The use of 5' as a subscript is problematic. It is missing from the definitions, which just says: R⁵ and R⁵. Also, where it appears in the R2 definition, the prime doesn't appear properly, and it just looks like a raised comma, not a subscript on a subscript.
4. In claim 6, 6th from last line, "and" should be removed (line between the two structures).
5. The term "precursor groups" at the end of claim 6 is unclear. There is no way of knowing what this might include. Given enough steps, almost anything can be a precursor group.

Art Unit: 1624

Claim 12 is rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Enablement for the scope of "tumors" is lacking.

Pursuant to *In re Wands*, 858 F.2d 731, 737, 8 USPQ2d 1400, 1404 (Fed. Cir. 1988), one considers the following factors to determine whether undue experimentation is required: (A) The breadth of the claims; (B) The nature of the invention; (C) The state of the prior art; (D) The level of one of ordinary skill; (E) The level of predictability in the art; (F) The amount of direction provided by the inventor; (G) The existence of working examples; and (H) The quantity of experimentation needed to make or use the invention based on the content of the disclosure. Some experimentation is not fatal; the issue is whether the amount of experimentation is "undue"; see *In re Vaeck*, 20 USPQ2d 1438, 1444.

The analysis is as follows:

(1) Breadth of claims.

(a) Scope of the compounds. Owing to the very broad range of the variables, especially B, D, E, X and R1, trillions of compounds are covered by the genus.

(b) Scope of the diseases covered. The coverage is immense. There are hundreds of types of cancers. They can occur in pretty much every part of the body. Further, "tumor" covers more than just cancers. It also covers many neoplasms, cancerous or not. A neoplasm is any abnormal tissue that grows by cellular proliferation more rapidly than normal, or continues to grow after the stimulus that initiated the new

Art Unit: 1624

growth has ceased, or shows lack (partial or complete) of structural organization and/or coordination with surrounding tissue. It can be benign or malignant. Thus, such a term, also covers precancerous conditions such as lumps, lesions, and polyps. In addition, "tumor" covers things other than neoplasms. It also covers any kind of swelling arising from inflammation or some other processes. It is a very general term.

(2) The nature of the invention and predictability in the art: The invention is directed toward medicine and is therefore physiological in nature. It is well established that "the scope of enablement varies inversely with the degree of unpredictability of the factors involved," and physiological activity is generally considered to be an unpredictable factor. See *In re Fisher*, 427 F.2d 833, 839, 166 USPQ 18, 24 (CCPA 1970).

(3) Direction or Guidance: That provided is very limited. The dosage range information provided on pages 39 and 42 is a 200-fold range which is not specific as to disease. It is the same for all diseases to be treated. In terms of specific cancers, none are actually named.

(4) State of the Prior Art: The prior art knows that there never has been a compound capable of treating cancer generally. There are compounds that treat a modest range of cancers, but no one has ever been able to figure out how to get a compound to be effective against cancer generally, or even a majority of cancers. Thus, the existence of such a "silver bullet" is contrary to our present understanding in oncology. Even the most broadly effective antitumor agents are only effective against a small fraction of the vast number of different cancers known. This is true in part because cancers arise from a wide variety of sources, such as viruses (e.g. EBV, HHV-8, and HTLV-1), exposure to chemicals such as tobacco tars, genetic disorders, ionizing radiation, and a wide variety

Art Unit: 1624

of failures of the body's cell growth regulatory mechanisms. Different types of cancers affect different organs and have different methods of growth and harm to the body, and different vulnerabilities. Even those that affect just a single organ are often not generally treatable. As an example, the main types of lung cancer are small cell (oat cell), giant cell, clear cell, adenocarcinoma of the lung, squamous cell cancer of the lung, and mesothelioma. There is no such thing as a treatment of these generally because of their diversity. That is, there is no one compound that can treat these generally, or even most of them, nor is there any reason to think that there could be such a compound. And as noted above, "tumor" is far broader than cancers.

(5) Working Examples: There are no examples of treatment of any kind of tumor, and indeed, not even standard anti-cancer screening tests.

(6) Skill of those in the art: It is beyond the skill of oncologists today to get an agent to be effective against cancers generally, evidence that the level of skill in this art is low relative to the difficulty of such a task. The skill thus depends on the particular cancer involved. There are cancers where the skill level is high and there are multiple successful chemotherapeutic treatments. In many, many cancers, however, there is no chemotherapy whatsoever available. As an example, one skilled in the art knows that chemotherapy of brain tumors is especially difficult. This is because 1) the blood-brain barrier, which is often intact in parts or all of a brain tumor, will block out many drugs, as it is the purpose of the blood-brain barrier to protect the brain from alien chemicals, and 2) CNS tumors are characterized by marked heterogeneity, which greatly decreases vulnerability to chemotherapy. As a result, many categories of CNS tumors simply have no chemotherapy available. These include, generally, hemangiomas and

Art Unit: 1624

hemangioblastomas, low grade gliomas, meningiomas, craniopharyngiomas, acoustic neuromas, pituitary adenomas, optic nerve gliomas, glomus jugulare tumors and chordomas, to name just some. The majority of common cancers do not respond to chemotherapy.

(7) The quantity of experimentation needed: Given the fact that historically the development of new cancers drugs has been difficult and time consuming, and especially in view of factors 1 and 4, the quantity of experimentation needed is expected to be great.

MPEP 2164.01(a) states, "A conclusion of lack of enablement means that, based on the evidence regarding each of the above factors, the specification, at the time the application was filed, would not have taught one skilled in the art how to make and/or use the full scope of the claimed invention without undue experimentation. *In re Wright*, 999 F.2d 1557,1562, 27 USPQ2d 1510, 1513 (Fed. Cir. 1993)." That conclusion is clearly justified here.

Claim 13 is rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Enablement for the scope of "inflammation" is lacking.

Pursuant to *In re Wands*, 858 F.2d 731, 737, 8 USPQ2d 1400, 1404 (Fed. Cir. 1988), one considers the following factors to determine whether undue experimentation is required: (A) The breadth of the claims; (B) The nature of the invention; (C) The state

Art Unit: 1624

of the prior art; (D) The level of one of ordinary skill; (E) The level of predictability in the art; (F) The amount of direction provided by the inventor; (G) The existence of working examples; and (H) The quantity of experimentation needed to make or use the invention based on the content of the disclosure. Some experimentation is not fatal; the issue is whether the amount of experimentation is "undue"; see *In re Vaeck*, 20 USPQ2d 1438, 1444.

The analysis is as follows:

(1) Breadth of claims.

(a) Scope of the compounds. Owing to the very broad range of the variables, especially B, D, E, X and R1, trillions of compounds are covered by the genus.

(b) Scope of the diseases covered. The scope of treating inflammation generally is extraordinarily broad. Inflammation is a process which can take place in virtually any part of the body. There is a vast range of forms that it can take, causes for the problem, and biochemical pathways that mediate the inflammatory reaction. It is one of the most pervasive of all body processes. Inflammation is a very general term which encompasses a huge variety of specific processes.

Inflammation is the reaction of vascularized tissue to local injury; it is the name given to the stereotyped ways tissues respond to noxious stimuli. These occur in two fundamentally different types. Acute inflammation is the response to recent or continuing injury. The principal features are dilatation and leaking of vessels, and recruitment of circulating neutrophils. Chronic inflammation or "late-phase inflammation" is a response to prolonged problems, orchestrated by T-helper lymphocytes. It may feature recruitment and activation of T- and B-lymphocytes,

macrophages, eosinophils, and/or fibroblasts. The hallmark of chronic inflammation is infiltration of tissue with mononuclear inflammatory cells. Mechanistically, chronic inflammation encompasses a broad spectrum of immunologic processes, including antibody formation, antibody-dependent cell-mediated cytotoxicity, and cell-mediated immunity (delayed-type hypersensitivity). Granulomas are seen in certain chronic inflammation situations. They are clusters of macrophages which have stuck tightly together, typically to wall something off. Granulomas can form with foreign bodies such as aspirated food, toxocara, silicone injections, and splinters.

Otitis media is an inflammation of the lining of the middle ear and is commonly caused by *Streptococcus pneumoniae* and *Haemophilus influenzae*. Cystitis is an inflammation of the bladder, usually caused by bacteria. Blepharitis is a chronic inflammation of the eyelids that is caused by a staphylococcus. Dacryocystitis is inflammation of the tear sac, and usually occurs after a long-term obstruction of the nasolacrimal duct and is caused by staphylococci or streptococci. Preseptal cellulitis is inflammation of the tissues around the eye, and Orbital cellulitis is an inflammatory process involving the layer of tissue that separates the eye itself from the eyelid. These life-threatening infections usually arise from staphylococcus. Hence, these types of inflammations are treated with antibiotics.

Cholecystitis is gallbladder inflammation usually caused by a gallstone that cannot pass through the cystic duct. In those cases, it normally cannot be treated by pharmaceuticals but instead the gallbladder is removed. Cholecystitis without the formation of gallstones, called acalculous cholecystitis, is caused by bacteria such as *Salmonella*, *Staphylococcus*, *Streptococcus* (as part of scarlet fever), and leptospirosis,

Art Unit: 1624

and thus may be treatable by treating the underlying infectious agent. Acute inflammation of the gall bladder can also arise from typhoid; treatment is with antibiotics.

In gout, joint inflammation is caused by the formation of monosodium urate monohydrate (MSU) crystals within the joint space. Acute attacks of gout are treated with colchicine (to inhibit of MSU-induced chemotactic factor release by PMNs) and after the acute phase with allopurinol to control the blood levels of uric acid.

Pseudogout, sometimes referred to as calcium pyrophosphate disease (CPPD), is inflammation caused by calcium pyrophosphate (CPP) crystals. It is treated with nonsteroidal anti-inflammatory drugs, corticosteroids and Colchicine.

Sinusitis is the inflammation of the mucosal lining of one or more of the 4 cavities near the nasal passages (ethmoid, maxillary, frontal, and sphenoid sinuses). It commonly accompanies upper respiratory viral infections which obstruct the opening, but such obstruction can also arise from abnormalities in the structure of the nose, enlarged adenoids, diving/swimming, infections from a tooth, trauma to the nose, and foreign objects that are stuck in the nose. Bacteria, notably *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Moraxella catarrhalis* grown in the trapped secretions. In most cases it requires no treatment, but antibiotics may be given, along with acetaminophen for pain and nosedrops, for relief of symptoms.

Pharyngitis is infection and inflammation of the throat (including the nasopharynx, uvula, and soft palate) and tonsillitis is of the tonsils. These are caused by a variety of viruses (adenoviruses, influenza viruses, parainfluenza viruses, Epstein-Barr virus, enteroviruses, Herpes simplex virus), mycoplasmas (e.g. *Mycoplasma*

Art Unit: 1624

pneumoniae), and bacteria (Group A Beta Hemolytic Streptococci (GABHS), *Streptococcus pyogenes*, *Neisseria Gonorrhea*, *Hemophilus Influenza Type B*) as well as fungal infections, parasitic infections, cigarette smoke, and unknown causes.

Similarly, Osteomyelitis is the inflammation of bones, generally caused by bacteria (most commonly *Staphylococcus Aureus*). The disease can be caused by fungi or viruses. Dacryoadenitis, an inflammation of the tear gland, can arise from infectious mononucleosis, mumps, gonorrhea, or influenza. Conjunctivitis (pink eye) is inflammation of the conjunctiva and can be caused by many microorganisms, including staphylococci, *Haemophilus influenzae*, streptococci, gonococci, and viruses such as adenoviruses. Treatment in all of these cases, when possible, is thus to the underlying infectious agent.

Rheumatoid arthritis is an inflammatory bone disease causing destruction of articular cartilage, in which macrophages accumulate in the rheumatoid synovial membrane. Mediators are cytokines, including IL-1, IL-18, TNF- α and IFN- γ .

Pneumonia is an inflammation of the lungs. Lobar pneumonia affects one or more sections (lobes) of the lungs. Bronchial pneumonia (or bronchopneumonia) affects patches throughout both lungs. Bacterial pneumonia is caused by various bacteria notably *Streptococcus pneumoniae*. Viral pneumonia is caused by viruses (such as respiratory syncytial, parainfluenza, and influenza). Other causes are fungi, mycoplasmas, rickettsias (especially Q fever), Chlamydia, or parasites. It can also occur as a hypersensitivity, or allergic response, to agents such as mold, humidifiers, and animal excreta, and in such a case would be treated with anti-allergic agents. Treatment may include antibiotics for bacterial pneumonia. Antibiotics may also speed recovery

Art Unit: 1624

from mycoplasma pneumonia and some special cases. There is no clearly effective treatment for viral pneumonia.

Adult (or Acute) Respiratory Distress Syndrome (ARDS) is severe inflammation in both lungs resulting in an inability of the lungs to function properly. ARDS is a devastating, often fatal, inflammatory lung condition that usually occurs in conjunction with catastrophic medical conditions, such as pneumonia, shock, sepsis, and trauma. No specific therapies currently exist for ARDS patients. Treatment primarily involves supportive care in an intensive care unit, including use of a mechanical ventilator and supplemental oxygen to help patients breathe.

Chronic bronchitis is a long-term inflammation of the bronchi, which results in increased production of mucus, as well as other changes. Chronic bronchitis has no specific organism recognized as the cause of the disease. Cigarette smoking is cited as the most common contributor to chronic bronchitis, followed by bacterial or viral infections and environmental pollution. Treatment may include bronchodilators for inhaled medications, oxygen supplementation, lung reduction surgery and lung transplantation.

Acute bronchitis is the inflammation of mucous membranes of the bronchial tubes and is usually caused by infectious agents such as bacteria or viruses. It may also be caused by physical or chemical agents -- dusts, allergens, strong fumes-- and those from chemical cleaning compounds, or tobacco smoke. (Acute asthmatic bronchitis may happen as the result of an asthma attack, or it may be the cause of an asthma attack.) Acute bronchitis is usually a mild, and self-limiting condition, with complete healing and

return to function. Most of the treatment is supportive of the symptoms, and may include analgesics, such as acetaminophen for fever and discomfort.

Asthma is a chronic, inflammatory lung disease involving recurrent breathing problems. It is characterized by three airway problems: obstruction, inflammation, and hyper-responsiveness. These lead to contraction of airway muscles, mucus production, and swelling in the airways. There are many different asthma triggers.

Myocarditis is an inflammation of the muscular middle layer of the heart (myocardium). Viruses, bacteria, and noninfectious diseases can cause it. Treatment is primarily supportive e.g. drugs may be used to improve the heart's ability to contract and to remove extra fluids from the body. Unless the underlying infectious agent itself is treatable, this inflammation is not itself treated.

Glossitis is inflammation of the tongue. Local causes of glossitis include bacterial or viral infection, mechanical irritation or injury from burns, rough edges of teeth or dental and oral appliances, or other trauma; exposure to irritants (tobacco, alcohol, hot foods, or spices), and sensitization (to e.g. toothpaste, mouthwash, breath fresheners, dyes in candy, plastic in dentures or retainers) anemia and other B vitamin deficiencies, erythema multiform, pemphigus vulgaris, syphilis, and other disorders. It can be inherited. Corticosteroids such as prednisone may be given to reduce the inflammation. Antibiotics, antifungal medications, or other antimicrobials may be prescribed if the cause of glossitis is an infection. Anemia and nutritional deficiencies must be treated, often by dietary changes or other supplements.

Meningitis is the inflammation of the meninges—the surrounding 3-layered membranes of the brain and spinal cord, and the fluid it is bathed in, (CSF). It can be

Art Unit: 1624

caused by virtually any known infectious agent. Thus, if it is caused by *Haemophilus influenzae* or *Neisseria meningitis*, the antibiotic derivative rifampin would be used.

Myelitis is inflammation of the spinal cord.

Dactylitis is an inflammatory affection of the fingers.

Inclusion body myositis is an inflammatory slowly progressive proximal myopathy which may cause dysphagia and mild to moderate muscle wasting. Steroids and immunosuppression have generally been generally ineffective. Its pathogenesis is unknown, but ubiquitin, prion protein, and tau protein has been found in these inclusions.

Encephalitis is inflammation of the brain itself, often caused by a group of arboviruses. Treatment of encephalitis is largely supportive because no specific antiviral agents, except for that which works against herpes simplex virus, are available for therapy.

Inflammation in the brain is an significant component of some important neurodegenerative conditions, including Alzheimer's Disease, AIDS dementia, Pick's Disease, Parkinson's Disease, and Huntington's Disease. The circumstances here are poorly understood because while there does not appear to be lympho-infiltrative processes, there is neuropathological evidence for immune activation. Thus, inflammation may be a disease-aggravating or even a disease-ameliorating factor in pathogenesis, or a non-contributory consequence of the injurious cascade of neurodegeneration and thus incidental.

Hepatitis is an inflammation of the liver, usually caused by viral invasion, notably hepatitis A, B and C, but sometimes Epstein-Barr virus; herpes simplex viruses; measles, mumps, and chicken pox viruses; and cytomegaloviruses. Treatment, when possible, is with antivirals. Inflammation of the liver also take the form of alcoholic hepatitis.

Lupoid hepatitis is an autoimmune disorder.

Hemorrhoids is an enlarged or varicose condition of the hemorrhoidal veins and tissues around the anus, either internal or external. Anything which obstructs the free circulation of the blood in the portal system will give rise to hemorrhoids. Constipation, straining at stool, diarrhea, dysentery, rough toilet paper, uncleanliness, pelvic tumors, displacement of the uterus and pregnancy are among the most common causes.

There is a series of inflammatory problems directly connected to neutrophil-endothelial cell adhesion (NECA). These include frostbite injury, bacterial meningitis, acute airway inflammation, allograft rejection, hemorrhagic shock, septic shock, ischemia and reperfusion injuries.

Urethritis is an inflammation of the duct that leads from the bladder to the body's exterior. It is often due to fecal contamination or irritation due to physical or chemical substances (e.g. introduction of foreign bodies into the urethra, bubble bath, or soap) or gonorrhea. Treatment may simply involve the withdrawal of the offending chemical agent, or the administration of antibiotics, when *Neisseria gonorrhoeae* is involved.

Inflammation can arise from the eruption of teeth in a child (teething).

Inflammation of the nails can arise from chronic paronychia, fungus (especially *Candida albicans*), trauma, impaired circulation, and dermatitis.

Bright's disease (or glomerulonephritis) is inflammation of the glomeruli and the nephrons, the structures in the kidney that produce urine. It usually results from an infection, such as a streptococcal infection, that occurs somewhere else in the body. There is no real treatment beyond relief of the symptoms.

Thyroiditis is an inflammation of the thyroid gland, and takes three forms. Hashimoto's Thyroiditis (chronic lymphocytic thyroiditis) is the most common type of thyroiditis. It is an autoimmune disorder, and treatment is to start thyroid hormone replacement. For De Quervain's Thyroiditis (subacute or granulomatous thyroiditis), treatment is usually bed rest and aspirin to reduce inflammation. Occasionally cortisone and thyroid hormone may be used. Silent Thyroiditis usually arises following pregnancy. Treatment is usually bed rest with beta blockers.

Regional enteritis (Crohn's disease or ileitis) is an autoimmune disorder which is associated with the presence of *Mycobacterium paratuberculosis*. It can affect any part of the gastrointestinal tract but most commonly affects the ileum. The inflammation is controlled primarily by regulation of diet, antibiotics if abscesses and fistulas are present, sometimes Prednisone and other corticosteroids, and surgery.

Another category of inflammatory disorders is Interstitial lung disease, or ILD, (interstitial pulmonary fibrosis), a term that includes more than 180 chronic lung disorders, which may be chronic, nonmalignant (non-cancerous) and noninfectious. Interstitial lung diseases are named after the tissue between the air sacs of the lungs called the interstitium -- the tissue affected by fibrosis (scarring). The common link between the many forms of ILD is that they all begin with an inflammation. The three main kinds are bronchiolitis - inflammation that involves the bronchioles (small

Art Unit: 1624

airways); alveolitis - inflammation that involves the alveoli (air sacs); and vasculitis - inflammation that involves the small blood vessels (capillaries). More than 80 percent of interstitial lung diseases are diagnosed as pneumoconiosis, a drug-induced disease, or hypersensitivity pneumonitis. Some other types are idiopathic pulmonary fibrosis, bronchiolitis obliterans, histiocytosis X, chronic eosinophilic pneumonia, granulomatous vasculitis, Goodpasture's syndrome and pulmonary alveolar proteinosis. The cause of interstitial lung disease is not known, however, a major contributing factor is thought to be inhaling environmental pollutants. Other contributing factors include Sarcoidosis, certain drugs, radiation, connective tissue or collagen diseases and family history. Treatments may include corticosteroids, influenza or pneumococcal pneumonia vaccine but these are of limited effectiveness.

Many Occupational Lung Diseases are inflammatory in origin, arising from repeated and long-term exposure to certain irritants on the job. These include for example asbestosis, coal worker's pneumoconiosis (caused by inhaling coal dust), silicosis (caused by inhaling free crystalline silica), byssinosis (caused by dust from hemp, flax, and cotton processing, also known as brown lung disease), aluminosis, anthracosis ("collier's lung", from the accumulation of carbon from inhaled smoke or coal dust in the lungs), chalicosis (stone-cutters' lung disease, due to inhaling stone dust), siderosis (occurring in iron workers, produced by the inhalation of particles of iron), tabacosis, hypersensitivity pneumonitis (caused by the inhalation of fungus spores from moldy hay, bird droppings, and other organic dusts and occupational asthma (caused by inhaling certain irritants in the workplace, such as dusts, gases, fumes, and vapors).

Pulmonary Sarcoidosis causes small lumps, or granulomas, which generally heal and disappear on their own. However, for those granulomas that do not heal, the tissue can remain inflamed and become scarred, or fibrotic. Pulmonary sarcoidosis can develop into pulmonary fibrosis. Bronchiectasis, a lung disease in which pockets form in the air tubes of the lung and become sites for infection, can also occur. Treatment may include the use of corticosteroids.

Stomatitis, inflammation of the mouth, and mucositis, inflammation of the mucosa can arise from sources as diverse as *Candida albicans*, dentures, chemotherapy and radiation therapy to the head, neck or mouth ("Radiation mucositis"). It may be secondary to infection, trauma, systemic diseases or autoimmune mechanisms. These come in many forms, such as aphthous ulcers, Acute Necrotizing Ulcerative Gingivitis i.e. "trench mouth", and Lichen Planus. Herpetiform ulcers treatment has ranged from antibiotics, immunosuppressants and yogurt, to *Lactobacillus* capsules, tetracycline and systemic steroids. Palliative measures include topical anesthetics, Vitamin E, analgesics, and coating agents. Antiviral agents may be used if viral origin is established.

Rhinitis is a reaction that occurs in the eyes, nose and throat when airborne irritants (allergens) trigger the release of histamine. Histamine causes inflammation and fluid production in the fragile linings of nasal passages, sinuses, and eyelids. The two categories of rhinitis are allergic rhinitis (seasonal and perennial) and nonallergic Rhinitis (including eosinophilic, rhinitis medicamentosa, vasomotor Rhinitis, neutrophilic rhinosinusitis, and others), which come from fumes, odors, temperature or atmospheric changes, smoke, etc. Treatments for nonallergic rhinitis include oral medications, inhaled medications, immunotherapy, and surgery for some conditions.

Wegener's Granulomatosis is a disease that usually begins as a localized granulomatous inflammation of upper or lower respiratory tract mucosa and may progress into generalized necrotizing granulomatous vasculitis and glomerulonephritis. The cause is unknown. Although the disease resembles an infectious process, no causative agent has been isolated. Treatment is with immunosuppressive cytotoxic drugs.

Pancreatitis is inflammation of the pancreas and can arise from abdominal trauma, or the formation of gallstones that obstruct the common bile duct. It can be associated with excessive ingestion of alcohol; with disorders such as cystic fibrosis or Reye's syndrome; or with scorpion stings. Infectious causes include mycoplasmas, Epstein-Barr viruses, Coxsackie viruses, leptospirosis, hepatitis viruses, mumps, congenital German measles, Ascaris worms, and syphilis. The inflammation per se is generally not treatable. Treatment is usually supportive and consists of the management of pain and intravenous feeding.

Neuroretinitis is a type of inflammation of the retina and optic nerve of the eye ("optic neuritis"). It is often idiopathic. It frequently arises secondary to some kind of infection, such as Hepatitis B, HSV, EBV, influenza A, mumps, Coxsackie B, TB, salmonella, Lyme disease, syphilis, leptospirosis, Histoplasmosis, Toxoplasmosis, toxocara, Sarcoidosis and cat-scratch disease. Treatment is thus to the underlying cause. For example, Diffuse unilateral subacute neuroretinitis (DUSN) arises from nematodes deep in the retina or in the subretinal space. Anthelmintic treatment is then used. When the origin is Toxoplasmosis, then anti-Toxoplasma medications such as Pyrimethamine. Vogt-Koyanagi-Harada syndrome (Harada's disease) is an acute

Art Unit: 1624

inflammatory, immune-mediated disorder that can cause choroidal neovascularization, severe chorioretinal atrophy, and secondary glaucoma.

River blindness arises from inflammation of the eye caused by larvae (microfilaria) of the nematode *Onchocerca volvulus*, although the *Wolbachia* bacteria may be involved as well.

Other eye inflammations include scleritis and episcleritis, inflammation of tissues on the sclera; choroiditis, inflammation of the middle coat (choroid) of the eyeball, and uveitis, which is inflammation of the parts of the eyes that make up the iris.

Gastritis is inflammation to the stomach lining. Atrophic gastritis is characterized by the loss of the stomach cells that are responsible for manufacturing acid, pepsin, and intrinsic factor. This condition occurs in older people or those suffering from *Helicobacter pylori*. Erosive (hemorrhagic) gastritis occurs when shallow ulcers or sores develop on the upper layer of the stomach lining, usually because of the excessive ingestion of a stomach irritant such as aspirin or alcohol.

There can also be mentioned appendicitis, which can occur when a hard piece of stool blocks the opening of the appendix, causing swelling and inflammation.

The great majority of skin problems involve some type of inflammation, such as response to physical injury (e.g. sunburn, ticks, abrasion, or a bee sting), acute allergic contact dermatitis (such as poison ivy), and infections (such as boils and cold sores). Ingrowing hairs, or pili incarnati, can cause acute pustular reactions. Cancerous lesions of the skin frequently show some degree of inflammatory response. Acne's inflammation is caused by leakage of sebum and keratin debris outside the distended pilosebaceous duct. The bacillus *Propionibacterium acnes*, which populates the lesions,

may also contribute indirectly to this inflammation by metabolizing the sebum to produce irritant fatty acids. Inflammation in skin problems is usually the result of the release of chemical mediators in the skin, notably histamine, peptides (kinins) and fatty acids (prostaglandins and leukotrienes), which are formed enzymatically in response to e.g. injury. Medications designed to counteract inflammation in the skin may or may not antagonize the effects of the particular type of mediator involved, if that is known. The inflammation can take many different forms, including redness, (from dilation of blood vessels); heat, (from increased blood flow); swelling (from leakage of fluid from the small blood vessels); whealing reactions (hives, nettle rash, urticaria) in which vascular changes predominate, and pain or itching. Blisters (from enzymes released from inflammatory cells, resident cells of the skin, or blood plasma components) can cause the breakdown of proteins responsible for the structural integrity of the skin, leading to serious inflammatory disorders such as pemphigus. In addition, the affected skin may feel indurated (hardened) because of the deposition of the coagulation protein fibrin and the infiltration by inflammatory blood cells (lymphocytes, histiocytes, and polymorphonuclear leukocytes).

Prostatitis, inflammation of the prostate, comes in several different forms, including those of bacterial origins, and those which are not, including chronic abacterial prostatitis and asymptomatic inflammatory prostatitis. Certain types of anti-inflammatory agents, such as non-steroidal anti-inflammatory medications (Ibuprofen and naproxen) along with muscle relaxants can be used in the non-bacterial cases.

Cystic fibrosis (CF) is an inherited disease characterized by an abnormality in the glands that produce sweat and mucus. It is chronic, progressive, and is usually fatal.

Art Unit: 1624

The basis for the problem with CF lies in an abnormal gene, which results in an atypical electrolyte transport system within the cells of the body. The abnormal transport system causes the cells in the respiratory system, especially the lungs, to absorb too much sodium and water. This causes the normal thin secretions in our lungs to become very thick and hard to remove. The high risk of infection in the respiratory system leads to damage in the lungs, lung that do not work properly, and eventually death of the cells in the lungs. The most common causes for infection in the lungs are *Staphylococcus aureus*, *Haemophilus influenza* and *Pseudomonas aeruginosa* (PA). The disorder itself is largely untreatable.

The above list is by no means complete, but demonstrates the extraordinary breadth of causes, mechanisms and treatment (or lack thereof) for inflammation.

(2) The nature of the invention and predictability in the art: The invention is directed toward the treatment of disease and is therefore physiological in nature. It is well established that "the scope of enablement varies inversely with the degree of unpredictability of the factors involved," and physiological activity is generally considered to be an unpredictable factor. See *In re Fisher*, 427 F.2d 833, 839, 166 USPQ 18, 24 (CCPA 1970).

(3) Direction or Guidance: That provided is very limited. The dosage range information provided on pages 39 and 42 is a 200-fold range which is not specific as to disease. It is the same for all diseases to be treated.

(4) State of the Prior Art: The prior art has established that there is no common mechanism by which all, or even most, inflammations arise. Mediators include bradykinin, serotonin, C3a, C3b, C5a, histamine, fibrin, PDE-IV, kallikrein, plasmin,

Art Unit: 1624

thrombin, PAF, Mac-1, VLA-4, VLA-5, VLA-6, VCAM-1, LFA-1, ICAM-1, Prostaglandins and cyclic endoperoxides (particularly prostacycline, prostaglandin E2, and thromboxane A2), leukotrienes (especially LTB4, LTC4, LTD4, and LTE4) and cytokines, and many, others. Examples of pro-inflammatory cytokines include IL-1 α , IL-1 β , IL-6, IL-8, IL-18, MIP-1a, IFN- γ and TNF- α .

The prior art knows that mediation of inflammation is among the most pervasive and complex of all body process. As an example, the Hageman factor is a protein that initiates three different processes: a) the intrinsic clotting process which operates via thrombin and fibrin, b) the fibrinolytic system which produces fibrinolysis via plasmin and 3) the kallikrein/kinin cascade, which produces the kinins, e.g. bradykinin. Further, Plasmin can also activate C3 and C5 in the complement cascade (an entirely separate set of vascular events) producing C3a and C5a, respectively, as can thrombin.

Further, the prior art knows that there are many paradoxical features in the inflammation system. As an example, in lung inflammation, nitric oxide appears to be a pro-inflammatory mediator in acute situations e.g. ARDS but anti-inflammatory in more stable situations. As a second example, the cytokine TGF-beta-1 possesses both pro-inflammatory and anti-inflammatory activities. Virtually all cells have TGF-beta-1 receptors, and the cytokine has many other roles other than in inflammation. As a third example, CRF appears to have both pro-inflammatory and anti-inflammatory activities.

Thus, the prior art knows that, treatments for inflammation are normally tailored to the particular type of inflammation present, as there is no, and there can be no "magic bullet" against inflammation generally.

Art Unit: 1624

(5) Working Examples: There are no working examples of treatment of any disorder at all. There are no standard anti-inflammatory screening tests performed.

(6) Skill of those in the art: For a compound or genus to be effective against inflammation generally is contrary to the present understanding of medical science. It establishes that it is not reasonable to any agent to be able to treat inflammation generally. That is, the skill is so low that no compound effective generally against inflammatory disorders has ever been found. In terms of the individual inflammatory disorders, this is completely varied. It ranges from areas where the skill level is high, as in asthma, to ARDS, where the skill level is so low that there is no effective pharmacological treatment.

(7) The quantity of experimentation needed: Owing to the factors listed above, especially in points 1(b), 4 and (6), experimentation needed will be extensive. Because of the sheer scope of this claim language, dozens of unrelated diseases will have to be tested. Many of these are already known to be resistant to pharmacological treatment as noted above.

MPEP 2164.01(a) states, "A conclusion of lack of enablement means that, based on the evidence regarding each of the above factors, the specification, at the time the application was filed, would not have taught one skilled in the art how to make and/or use the full scope of the claimed invention without undue experimentation. *In re Wright*, 999 F.2d 1557,1562, 27 USPQ2d 1510, 1513 (Fed. Cir. 1993)." That conclusion is clearly justified here.

Claims 1-7, 11-13 are rejected as being drawn to an improper Markush Group. The claims are drawn to multiple inventions for reasons set forth in the above

Art Unit: 1624

requirement for restriction. This does not constitute an art recognized genus. The claims are examined only to the extent that they read on the elected invention.

Cancellation of the non-elected subject matter (material after the last semicolon in claim 1) will overcome the rejection.

Specification


The page 4 reference to applications is not proper. Only publications may appear.

The examiner notes the references denoted as Y on the PCT Search report, but such are not deemed combinable to render the claims obvious.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark L. Berch whose telephone number is 703-308-4718. The examiner can normally be reached on M-F 7:15 - 3:45.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mukund Shah can be reached on 308-4716. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-4556 for regular communications and 703-308-4556 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 708-308-1235.



Mark L. Berch
Primary Examiner
Art Unit 1624

March 28, 2003